


A Alternative HER-2 transcript containing ECDIIIa sequence

CCCARACTACCACTCACTCCCARGCCAGCTGCAGTTCCTGTCCCTCTGCGCAGCCTGGCCCAGCCTAGCCT 80 LRMO 81 stoctatoctroctoranocercitagga constructoracerteraciteracecercage coccentracece construction (160) Ø A .1 Pr ႕ C) >1 (L Æ Ŋ ۵ ا 2 Ø μ ø, H Ç14 A L S

16 Instructional constructions of the property of the property



p185 HER-2 gene product:

2




Fig. 2






Fig. 3






Fig. 4






Fig. 5



PKON-3 CM

HEK 733 CM

ECDIIIA (150 nM)

ECDIIIa (75 aM)

control

SKOV-3 CM

HEK 793 CW

ECDIUS (120 DW.

ECDIIIa (75 nM)

control

anti-phosphotyrosine






Fig. 7



HER-2 Intron 8 Polymorphisms

GGTACCCACTCACTGCCCCCGAGGCCAGCTGCAGTTCCTGTCCTCTGCGCATGCAGCCTGGG œ P A A V P V P ഷ Д L P

В 22 64

Р ഗ Н Д LPLA

Fig. 8

Best Available Copy